



# QUEENSLAND<sup>®</sup>

## COLLECTION



WINTER  
FASHION

Selena

## Sizes

Sized for Small (Medium, Large, 1X, 2X, 3X). Shown in size Medium.

## Finished Measurements

**Bust** 36 (40, 44, 48, 52, 56)in/92 (102, 112, 122, 132, 142)cm.

**Length** 22¼ (22½, 22½, 22¾, 23, 23¼)in/56.5 (57, 57, 58, 58.5, 59)cm.

**Upper arm** 13 (14, 15, 16, 17, 18)in/33 (36, 38, 41, 43, 46)cm.

## Materials

2 x 100g hanks of Queensland Collection *Rainbow Beach* in shade 138 Wollongong (A).

2 (2, 2, 2, 3, 3) x 100g hanks of Queensland Collection *Rainbow Beach* in shade 140 Great Barrier Reef (B).

2 x 100g hanks of Queensland Collection *Rainbow Beach* in shade 122 Scarlet Jezebel (C).

1 (2, 2, 2, 2, 2) x 100g hanks of Queensland Collection *Rainbow Beach* in shade 135 Whitsundays (D).

One pair size US 5/3.75mm needles.

One pair size US 6/4mm needles, or size to obtain gauge.

Size US 5/3.75mm circular needle 16in/40cm long.

Stitch markers and removable stitch markers.

Cable needle.

## Gauge

24 sts and 35 rows = 4in/10cm over Rib patt using size US 6/4mm needles.

Center 33 sts of Cable panel = 3¾in/9.5cm wide.

**TAKE TIME TO CHECK GAUGE.**

## Abbreviations

**approx** approximate(ly); **beg** begin(ning); **cn** cable needle; **cont** continue; **dec** decrease(ing);  **foll** follow(s)(ing); **inc** increase(ing); **k** knit; **k2tog** knit two stitches together—1 stitch decreased; **LH** left hand; **p** purl; **patt(s)** pattern(s); **pm** place marker; **rem** remain(ing); **rep** repeat; **RH** right hand; **rnd(s)** round(s); **RS** right side; **st(s)** stitch(es); **St st** Stockinette stitch; **tbl** through back loop; **tog** together; **WS** wrong side.

## Glossary

**ssk (slip, slip, knit)** Slip the next two sts knitwise one at a time to RH needle. Insert tip of LH needle into fronts of these sts, from left to right, and knit them together—1 st dec'd.

**8-st RC** Slip 4 sts to cn and hold to back, k4, k4 from cn.

**8-st LC** Slip 4 sts to cn and hold to front, k4, k4 from cn.

**12-st RC** Slip 6 sts to cn and hold to back, k6, k6 from cn.

**12-st LC** Slip 6 sts to cn and hold to front, k6, k6 from cn.

## Long-Tail Cast-On

1. Make a slip knot on the right needle, leaving a long tail. Wind the tail end around your left thumb, front to back. Wrap the yarn from the ball over your left index finger and secure the ends in your palm.
2. Insert the needle upward in the loop on your thumb. Then with the needle, draw the yarn from the ball through the loop to form a st.
3. Take your thumb out of the loop and tighten the loop on the needle. Continue in this way until all the sts are cast on.

## Rib Pattern

(multiple of 6 sts plus 5)

**Row 1 (WS)** Knit.

**Row 2 (RS)** P5, \*k1 tbl, p5; rep from \* to end.

Rep rows 1 and 2 for Rib patt.

## Cable Panel

(worked over 35 sts)

**Note:** Cable patt may be worked from text or chart.

**Row 1 and all WS rows** K3, p12, k5, p12, k3.

**Rows 2, 4, and 6 (RS)** \*K1 tbl, p2, k12, p2; rep from \* once more, k1 tbl.

**Row 8** K1 tbl, p2, k4, 8-st RC, p2, k1 tbl, p2, 8-st LC, k4, p2, k1 tbl.

**Row 10** K1 tbl, p2, 8-st RC, k4, p2, k1 tbl, p2, k4, 8-st LC, p2, k1 tbl.

**Rows 12, 14, 16, 18, 20, and 22** Rep row 2.

After row 22, change to next color in sequence.

**Rows 24, 26, and 28** Rep row 2.

**Row 30** K1 tbl, p2, 12-st RC, p2, k1 tbl, p2, 12-st LC, p2, k1 tbl.

**Rows 32, 34, and 36** Rep row 2.

**Row 38** Rep row 8.

**Row 40** Rep row 10.

**Rows 42 and 44** Rep row 2.

After row 44, change to next color in sequence.

Rep rows 1–44 for Cable Panel.

## Notes

1. This pullover is worked in pieces from the bottom up. The sleeves are picked up and worked flat to the cuffs.
2. Always change color on a WS row.

## Instructions

### Back

With smaller needles and A, using long-tail method, cast on 109 (121, 133, 145, 157, 169) sts.

**Next row (WS)** P2, \*k3, p3; rep from \* to last 5 sts, k3, p2.

**Next row (RS)** K2, p3, \*k3, p3; rep from \* to last 2 sts, k2.

Rep last 2 rows for K3, P3 Rib until piece measures 1¼in/3cm from beg, end with a WS row.

Change to larger needles and B.

**Inc row (RS)** Knit, inc 2 sts evenly spaced—111 (123, 135, 147, 159, 171) sts.

**Next row (WS)** P2, work Row 1 of Rib patt to last 2 sts, p2.

Keeping first and last 2 sts in St st, work even in patt for 21 more rows, end with a RS row.

Beg on next row, change color every 22 rows in the foll sequence: \*C, D, A, B; rep from \* as needed to end of piece, AT SAME TIME, work even in patt until piece measures 21½ (21¾, 21¾, 22, 22¼, 22½)in/54.5 (55, 55, 56, 56.5, 57)cm from beg, end with a WS row.

### Shoulder and neck shaping

Mark center 27 (29, 31, 33, 35, 37) sts.

**Next row (RS)** Bind off 12 (13, 14, 15, 16, 17) sts, work to center marked sts and join a new ball of yarn, bind off 27 (29, 31, 33, 35, 37) sts, work to end—30 (34, 38, 42, 46, 50) sts rem for right shoulder, 42 (47, 52, 57, 62, 67) sts rem for left shoulder.

Working both sides at the same time with separate balls of yarn, bind off 12 (13, 14, 15, 16, 17) sts from left shoulder edge, then 10 (12, 14, 16, 18, 20) sts from each shoulder edge twice, AT SAME TIME, bind off from each neck edge 5 sts twice.

### Front

With smaller needles and D, using long-tail method, cast on 115 (127, 139, 151, 163, 175) sts.

Work K3, P3 Rib as for back, end with a WS row.



Change to larger needles and A.

**Inc row (RS)** Knit, inc 6 sts evenly spaced—121 (133, 145, 157, 169, 181) sts.

**Next row (WS)** P2, work Row 1 of Rib patt over 41 (47, 53, 59, 65, 71) sts, work Row 1 of Cable panel over 35 sts, work Row 1 of Rib patt over 41 (47, 53, 59, 65, 71) sts, p2.

Keeping first and last 2 sts in St st, work even in patt for 21 more rows, end with a RS row.

Beg on next row, change color every 22 rows in the foll sequence: \*B, C, D, A; rep from \* as needed to end of piece. AT SAME TIME, work even in patt until piece measures 18¾ (19, 19, 19¼, 19½, 19¾)in/47.5 (48, 48, 49, 49.5, 50)cm from beg, end with a WS row.

### Neck shaping

**Next row (RS)** Work 45 (50, 55, 60, 65, 70) sts, join a new ball of yarn, bind off 31 (33, 35, 37, 39, 41) sts, work to end—45 (50, 55, 60, 65, 70) sts each side.

Working both sides at same time, bind off from each neck edge 3 sts once, then 2 sts twice, then dec 1 st at each neck edge every RS row 6 times—32 (37, 42, 47, 52, 57) sts rem each side.

Work even until piece measures same length as back to shoulder, end with a WS row.

### Shoulder shaping

Bind off from each shoulder 12 (13, 14, 15, 16, 17) sts once, then 10 (12, 14, 16, 18, 20) sts twice.

### Sleeves

Sew shoulder seams. Pm 6½ (7, 7½, 8, 8½, 9)in/16.5 (18, 19, 20.5, 21.5, 23)cm down from shoulder seams on front and back.

### Right Sleeve

With RS facing, larger needles, and B, pick up and knit 81 (87, 93, 99, 105, 111) sts evenly between markers.

**Next row (WS)** P2, work Row 1 of Rib patt to last 2 sts, p2.


Keeping first and last 2 sts in St st, work even in patt for 10 (10, 6, 10, 6, 2) more rows.

**Dec row (RS)** K1, ssk, work to last 3 sts, k2tog, k1—2 sts dec'd.

Rep dec row every 8th (6th, 6th, 4th, 4th, 4th) row 14 (17, 20, 23, 26, 26) times more—51 (51, 51, 51, 51, 57) sts rem.

Work even until piece measures 15½ (15, 14½, 14, 13½, 13)in/39.5 (38, 37, 35.5, 34.5, 33)cm from pick-up row, end with a WS row.

AT SAME TIME, when 22 rows are complete, beg on next row, change color every 22 rows in the foll sequence: \*C, D, A, B; rep from \* as needed to rib.



Cuff

Change to D and smaller needles.

Next row (RS) Knit.

Next row (WS) P3, \*k3, p3; rep from \* to end.

Next row (RS) K3, \*p3, k3; rep from \* to end.

Rep last 2 rows until rib measures 1¼in/3cm. Bind off in patt.

Left Sleeve

Work as for right sleeve, working pick-up and first 22 rows with A, then changing colors every 22 rows as foll: \*B, C, D, A; rep from \* as needed to rib. Work cuff rib with C.

Finishing

Sew sleeve and side seams.

Neckband

With RS facing, smaller circular needle, and A, beg at right back shoulder seam, pick up and knit 51 (54, 57, 60, 60, 63) sts along back neck, then 99 (102, 105, 108, 108, 111) sts along front neck—150 (156, 162, 168, 168, 174) sts.

Join, and pm for beg of rnd.

Next rnd \*P3, k3; rep from \* to end.

Rep last rnd until rib measures 1¼in/3cm.

Bind off in patt.

Cable Panel

